



0360

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Lesley O. Bond

Serial No.: 10/047,796

Filed: 10/22/2001

For: METHOD AND APPARATUS FOR  
MECHANICALLY PERFORATING  
A WELL CASING OR OTHER  
TUBULAR STRUCTURE FOR  
TESTING, STIMULATION OR  
OTHER REMEDIAL OPERATIONS

Group No.: Not Yet Assigned

Examiner: Not Yet Assigned

Att'y Dkt. No.: 5750-006

BOX MISSING PARTS  
Commissioner for Patents  
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

This replies to the Notice to File Corrected Application Papers mailed March 27, 2002. A copy of the Notice is enclosed.

The Notice required Applicant to submit substitute drawings in compliance with 37 C.F.R. § 1.84. Substitute drawings (12 sheets) are submitted herewith.


---

CERTIFICATION OF MAILING UNDER 37 C.F.R. 1.8(a)

I hereby certify that on the date shown below, this correspondence is being deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231, with sufficient postage as First Class mail.

Date: April 5, 2002


Signed:



Mary M. Lee, Reg. No. 31,976

A return postcard is also enclosed.

Respectfully Submitted,

A handwritten signature in cursive script, appearing to read "Mary M. Lee". The signature is written in dark ink and is positioned above a horizontal line.

Mary M. Lee, Reg. No. 31,976  
3441 W. Memorial Road, Suite 8  
Oklahoma City, OK 73134-7000  
Tel. No.: (405) 302-0900  
Fax No.: (405) 302-0901  
Attorney for Applicant  
Customer No. 23547

2025-10-20 10:00:00




## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/047,796         | 10/22/2001          | Lesley O. Bond        | 5750-006               |

23547  
MARY M LEE, P.C.  
3441 W. MEMORIAL ROAD  
SUITE 8  
OKLAHOMA CITY, OK 73134



RECEIVED

APR - 1 2001

Law Office  
MARY M. LEE, P.C.

CONFIRMATION NO. 5617

FORMALITIES LETTER



\*OC000000007725492\*

Date Mailed: 03/27/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*margaret*  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE